



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025
Original Document Date: 26th October 2023

Classified as hazardous according to criteria of Worksafe Australia

Section 1: Identification of the substance/mixture and of the company

1:1 Product Identifier

Product Name: TTC 520
Other Names: None
Product Code: TTC520

1:2 Relevant identified uses of the product

Application: A Premium Flexible Rubber Modified Tile Adhesive

1.3 Supplier details

Supplier: Trade Tilers Centre Pty Ltd
(ABN: 60 421 372 360)
Address: Unit 6, 10-12 Glasson Drive Bethania
QLD 4206
Phone: (07) 3059 1354
Emergency Phone: (07) 3059 1354

The information contained in this safety data sheet is accurate on the date of issue and in accordance with the information available at that time. Persons dealing with products referred to in this safety data sheet do so at their own risk. Trade Tilers Centre accepts no liability whatsoever for damage or injury, however caused, arising from use of this information or of suggestions contained herein.

Section 2: Hazard Identification

2:1 Classification of product

Skin Corrosion/Irritation: Category 2
Serious Eye Damage / Eye Irritation: Category 2A
Specific Target Organ Toxicity - Single Exposure: Category 3 (Respiratory Irritation)
Carcinogenicity: Category 1A
Specific Target Organ Toxicity (Repeated Exposure): Category 2

Dust may irritate throat and respiratory system and cause coughing.
Frequent inhalation of dust over a long period of time increase the risk of developing lung diseases. Dust or splashes from the mixture may cause permanent eye damage.
Dust has an irritating effect on moist skin. Prolonged contact with wet cement/mixture may cause burns.





SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025

Original Document Date: 26th October 2023

Signal Word: **DANGER**

Hazard Statements:

| | |
|-------|---|
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H350i | May cause cancer by inhalation |

Precautionary Statements:

| | |
|----------------|---|
| P203 | Obtain, read and follow all safety instructions before use. |
| P260 | Do not breathe dust |
| P280 | Wear protective gloves, mask, eye and face protection |
| P264 + P265 | Wash skin thoroughly after handling. Do not touch eyes. |
| P271 | Use in well-ventilated area |
| P304+P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. |
| P337+P317 | If EYE irritation persists: Get medical help. |
| P302+P352 | IF ON SKIN: Gently wash with plenty of soap and water. |
| P332+P317 | If SKIN irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P318 | If exposed or concerned, get medical advice. |
| P319 | Get medical help if you feel unwell |
| P501 | Dispose of contents/container in accordance with local regulations |

2.3 Other hazards

Other hazards: N/A

Section 3: Composition/Information on Ingredients

3:1 Mixtures

This product contains cement



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025

Original Document Date: 26th October 2023

| Chemical Name | CAS-No. | % | Hazard Classification |
|---------------------------|------------|---------|--|
| Portland Cement | 65997-15-1 | 55-65% | STOT SE HC-3 Skin Irritation HC-2 Eye Irritation HC-2A STOT RE HC-2 |
| Non Hazardous Ingredients | N/A | Balance | N/A |

Section 4: First Aid Measures

4:1 Description of first aid measures

| | |
|----------------------|--|
| Inhalation: | Move subject to fresh air. Monitor and consult a physician if concerned |
| Skin Contact: | Wash affected areas thoroughly with soap & water. Consult a physician if irritation persists |
| Eye Contact: | Flush eyes with large amount of water for at least 15 minutes, holding eyelids apart. Consult a physician if irritation persists |
| Ingestion: | Flush mouth with copious amounts of water. Consult a physician |

4:2 Symptoms caused by exposure

| | |
|----------------------|--|
| Inhalation: | Dust may irritate airway and cause coughing |
| Skin Contact: | Dust may irritate moist skin Prolonged exposure could result in allergic reaction such as a rash or burning sensation |
| Eye Contact: | Contact with eye can cause permanent eye damage – immediately seek first aid |
| Ingestion: | Can cause irritation to the throat and stomach |

4:3 Medical Attention and Special Treatment

N/A

Section 5: Fire Fighting Measures

5:1 Suitable extinguishing media

This is a non-flammable material. Use suitable extinguishing media for the surrounding area.

5:2 Specific hazards

None Applicable

5:3 Special protective equipment and precautions for fire fighters

Chemical resistant clothing should be used along with respiratory protection.



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025
Original Document Date: 26th October 2023

Section 6: Accidental Release Measures

6:1 Personal precautions, protective equipment and emergency procedures

Wear appropriate clothing, gloves, eye protection and facemask to avoid inhalation and contact with skin or eyes.

Emergency Procedures: N/A

6:2 Environmental precautions

Do not allow this product to be released into storm water drains, creeks or open bodies of water. Dispose in accordance with local regulations.

6:3 Methods and materials for contaminant and cleaning up

In dry form: Vacuum where possible. Sweep with a brush or broom.

In wet form: Cover any drains and wipe product with a cloth. Dispose in accordance with local regulations.

Section 7: Handling and Storage

7:1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid dust.

7:2 Conditions for safe storage, including any incompatibilities

Store in a cool dry location in a closed container to avoid dust.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Incompatibilities: N/A

Section 8: Exposure Controls and Personal Protection

8:1 Control parameters

The exposure limits for ingredients are listed below

| Chemical Name | CAS No. | Exposure Limit | Type | References |
|-----------------------------------|------------|----------------------|------|-------------|
| Portland Cement – respirable dust | 65997-15-1 | 3 mg/m ³ | TWA | USECHH 2000 |
| Portland Cement – inhalable dust | 65997-15-1 | 10 mg/m ³ | TWA | USECHH 2000 |

8:2 Exposure controls

Provide adequate ventilation. Observe occupational exposure limits and minimise risk of inhalation & contact with skin & eyes

8:3 Personal protective equipment (PPE)

Wear protective gloves

Wear goggles/face shield

Wear protective clothing including boots



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025

Original Document Date: 26th October 2023

Face protection should be used in connection with splashing work
Use respiratory equipment with particle filter during dust raising work
The use of barrier cream is recommended
Remove all contaminated PPE carefully to avoid contact with skin or eyes. Wash contaminated clothing thoroughly before reuse. Wash skin with soap and water after work
Environmental exposure controls: Not available

Section 9: Physical and Chemical Properties

9:1 Physical and chemical properties

| | |
|----------------------|---|
| Appearance: | Grey powder with Black Rubber Specks |
| Odour: | Cement |
| Odour threshold: | N/A |
| pH: | Alkaline (approx. 12 when mixed with water) |
| Flash point: | Non-combustible |
| Flammability limits: | Not Available |
| Solubility in water: | Miscible in water |
| Stability: | Stable |
| Vapour pressure: | Not Available |
| Specific gravity: | 3 |
| Volatile component: | N/A |
| Auto ignition temp | N/A |

Section 10: Stability & Reactivity

10:1 Reactivity

None known

10:2 Chemical stability

Product is stable under normal temperature conditions

10:3 Conditions to avoid

See incompatible materials

10:4 Incompatible materials and possible hazardous reactions

Incompatible materials: None Known

Hazardous reactions: N/A

10:5 Hazardous decomposition products

N/A



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025
Original Document Date: 26th October 2023

Section 11: Toxicological Information

11:1 Information and symptoms related to exposure

| | |
|--------------------------------|--|
| Acute Toxicity: | No data available |
| Skin corrosion/irritation: | Repeated or prolonged exposure to skin can cause dermatitis |
| Serious eye damage/irritation: | Exposure can cause serious conjunctivitis, blepharitis and general irritation to the eyes. Dust or splashes from the mixture may cause permanent eye damage. Immediate first aid is necessary. |
| Respiratory & Ingestion | Dust can irritate airways. Prolonged exposure may cause coughing or wheezing. Ingestion of product may irritate the gastric tract and cause nausea & vomiting |
| Germ Cell Mutagenicity: | No data available |
| Carcinogenicity: | May cause cancer by inhalation. |
| Reproductive Toxicity: | No data available |

Specific Target Organ Toxicity (STOT)

| | |
|--------------------|--|
| Single Exposure: | Can cause coughing and irritation to airway |
| Repeated Exposure: | Repeated exposure over a long period of time may cause coughing and phlegm, shortness of breath and wheezing. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases and cancers. |
| Aspiration Hazard: | No data available |

11.2 Numerical measures of toxicity

No data available

11.3 Immediate, delayed or chronic health effects from exposure

| | |
|------------|---|
| Immediate: | Irritation of the skin, eyes & respiratory tract |
| Delayed: | Allergic skin reaction, irritation, coughing wheezing & possible injury to eyes |
| Chronic: | Increased chance of bronchitis, conjunctivitis, ulcers of the nose & dermatitis |

11.4 Exposure levels

Exposure levels:

See section 8:1

11.5 Interactive effects

| | |
|---------------|---|
| Inhalation: | Respiratory conditions such as asthma can increase risk of coughing and wheezing. |
| Skin contact: | Sensitivity of the skin can lead to greater risk of allergic skin reactions |



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025
Original Document Date: 26th October 2023

11.6 Data limitations

Data limitations: N/A

Section 12: Ecological Information

12:1 Ecotoxicity

This product is not expected to be hazardous to the environment

12:2 Degradability

When mixed with water this product will form to a hard mass that is non-degradable

12:3 Bio-accumulative potential

No data available

12:4 Mobility in soil

No data available

12:5 Other adverse effects

None known

Section 13: Disposal Considerations

Section 13:1 Safe disposal of product and packaging

P501 Dispose of contents & container waste in accordance with local regulations

Waste is considered hazardous. However, product hardened with water is considered non-hazardous.

Packaging is recyclable when all traces of material have been cleaned from bag

Do not allow product to enter sewerage system or storm water drain, this will block pipes

Section 14: Transport Information

| | |
|--|----------------|
| 14:1 UN number: | None allocated |
| 14:2 Proper shipping name: | None allocated |
| 14:3 Transport hazard class: | None allocated |
| 14:4 Packaging group: | None allocated |
| 14:5 Environmental hazards: | N/A |
| 14:6 Special transport precautions: | N/A |
| 14:7 Hazchem code: | N/A |

Section 15: Regulatory Information

15:1 Safety, health and environmental regulations specific to the product

N/A

15:2 Poisons schedule number

N/A



SAFETY DATA SHEET

Trade Tilers Centre – TTC520

Reviewed Date: 19th February 2025
Original Document Date: 26th October 2023

Section 16: Regulatory Information

This SDS has been reviewed 19th February 2025. This SDS will be reviewed every 5 years. The latest version of this SDS will be available for download from <https://tradetilerscentre.com.au/> This SDS may change from time to time as new information becomes available or in the case of a change in formulation. This SDS is has been prepared as a new document to bring into line with Globally Harmonized System requirements.

16:2 Abbreviations and acronyms used in this SDS

GHS = Globally Harmonized System

HC - = Hazard Category

CAS = Chemical Abstract Service

N/A = Not Applicable

TWA = Time Weighted Average

USECHH = Use and Standard of Exposure Chemical Hazardous to Health.

STOT = Specific Target Organ Toxicity

STOT SE = Specific Target Organ Toxicity – Single Exposure

STOT RE = Specific Target Organ Toxicity – Repeated Exposure

mg/m³ = milligram per cubic metre

This SDS has been prepared using information provided by the manufactures of the ingredients contained in this product. This product is a mixture of ingredients.

.... END OF SDS

This SDS has been developed in accordance to Worksafe Australia/NOHSC guidelines